

This safety data sheet was created pursuant to the requirements of: GB/T 16483-2008, GB/T 17519-2013

HHD 5518BK Revision Number 1 Revision date 06-Jul-2022 Supersedes Date: 06-Jul-2022

1. Identification

Product identifierProduct NameHHD 5518BKPure substance/mixtureMixture

Details of the supplier of the safety data sheet

Responsible Party

Bostik (Shanghai) Management Co., Ltd Building 1, No.968 Guanghua Road, Minhang District Shanghai, China Tel: 021-60763101 Fax: 021-60763133

See section 16 for more information.

E-mail address	SDS.AP@Bostik.com	
Emergency telephone number Emergency Telephone	Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.) Chemtrec : China 4001-204937 CHEMTREC (Chemical Transportation Emergency Center)	
Emergency Telephone	National contact 0532-8388 9090 (China only)	
Recommended use of the chemical and restrictions on use		
Recommended use	No information available	
Restrictions on use	No information available	

2. Hazard(s) identification

Emergency Overview

Irritating to skin May cause allergic respiratory reaction May cause allergic skin reaction Contains a known or suspected carcinogen

Appearance Solid

Physical state Solid

Odor Odorless

Classification of the substance or mixture

Skin corrosion/irritation	Category 3
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2

Label elements

HHD 5518BK Revision Number 1



Signal word

Danger

Hazard statements

H316 - Causes mild skin irritation

- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H351 Suspected of causing cancer

Precautionary statements

Prevention

P201 - Obtain special instructions before use

- P202 Do not handle until all safety precautions have been read and understood
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P284 In case of inadequate ventilation wear respiratory protection
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Heat resistant gloves are recommended when handling molten materials

Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor
- P302 + P352 IF ON SKIN: Wash with plenty of water and soap
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards

Not applicable.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
4,4'-Methylenediphenyl diisocyanate	101-68-8	1 - <5

*** Any remaining ingredients are not hazardous

4. First-aid measures

Description of necessary first aid measures

General advice

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

HHD 5518BK Revision Number 1	Revision date 06-Jul-2022 Supersedes Date: 06-Jul-2022
	medical advice/attention.
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Most important symptoms/effects	<u>.</u>
<u>acute and delayed</u> Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.
For emergency responders Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.
Hazardous combustion products	Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide. Isocyanates.
Special protective actions for	

fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection

equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.

HHD 5518BK Revision Number 1

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Methods and material for

containment and cleaning up

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product.

See Section 8 for information on appropriate personal protective equipment

Conditions for safe storage,

including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

8. Exposure controls/personal protection

Occupational exposure limits

Chemical name	China	ACGIH TLV
4,4'-Methylenediphenyl diisocyanate - 101-68-8	TWA: 0.05 mg/m ³ STEL: 0.1 mg/m ³	TWA: 0.005 ppm
	Sensitizer+	

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

No data available

Monitoring and observation processes

No applicable information was found.

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Heat resistant gloves are recommended when handling molten materials. Gloves must conform to standard EN 407. Unsuitable protective clothing. Wet gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. During spraying wear suitable respiratory equipment.
Recommended filter type:	Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases

and vapors filter conforming to EN 14387.

9. Physical and chemical properties

Information on basic physical and Appearance Color Physical state Odor Odor threshold	<u>chemical properties</u> Solid Black Solid Odorless No information available	
Property	Values	Remarks • Method
pH	No data available	
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling	No data available	
range		
Flash point	No data available	
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits	No data available	
Vapor pressure Relative vapor density	No data available	
Relative density	No data available	
Water solubility	No data available	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	5000 - 7000 mPas	@ 110 °C
Additional information Oxidizing properties Solid content (%) Density	No information available No information available 1.0-1.1 g/cm ³	

10. Stability and reactivity

<u>Stability</u>	Stable under normal conditions.
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	_ None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Product Information					
Inhalation	Specific test data for the substance or mixture is not available. May cause sensitization in susceptible persons. (based on components).				
Eye contact	Based on available data, the classification criteria are not met.				
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact. Causes mild skin irritation.				
Ingestion	Specific test data for the substance or mixture is not available. May cause additional affects as listed under "Inhalation".				
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.				
Acute toxicity					
Numerical measures of toxicity					

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 50.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
4,4'-Methylenediphenyl diisocyanate	=31600 mg/kg (Rattus) = 9200 mg/kg (Rattus)	LD 50 > 9400 mg/kg (Oryctolagus cuniculus)	=1.5 mg/L (Rattus) 4 h
		OECD 402	

Skin corrosion/irritation

Classification based on data available for ingredients.

Component Information						
4,4'-Methylenediphenyl diisocyanate (101-68-8)						
Method Species Exposure route Effective dose Exposure time Results						
OECD Test No. 404:	Rabbit	Dermal			Irritant	
Acute Dermal						
Irritation/Corrosion						

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information						
4,4'-Methylenediphenyl diisocyanate (101-68-8)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 405:	Rabbit	Eye	0.1 mL	24 hours	Mild eye irritation	
Acute Eye						
Irritation/Corrosion						

Respiratory or skin sensitization May cause an allergic skin reaction.

Component Information					
4,4'-Methylenediphenyl diisocyanate (101-68-8)					
Method	Species	Exposure route	Results		
OECD GD 39	Rat	Inhalation	Sensitizing		

HHD 5518BK Revision Number 1

OECD Test No. 406: Skin	Guinea pig	Dermal	Sensitizing
Sensitization			-

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information					
4,4'-Methylenediphenyl diisocyanate (101-68-8)					
Method Species Results					
Regulation (EC) No. 440/2008, Annex, B.13/14	in vitro	Not mutagenic			
(Ames test)					
OECD Test No. 474: Mammalian Erythrocyte	Rat, in vivo	Not mutagenic			
Micronucleus Test					

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	China	IARC
4,4'-Methylenediphenyl diisocyanate	-	Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Component Information					
4,4'-Methylenediphenyl diisocyanate (101-68-8)					
Method	Species	Results			
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic			
Toxicity/Carcinogenicity Studies		effect			

Reproductive toxicity

Based on available data, the classification criteria are not met.

Component Information				
4,4'-Methylenediphenyl diisocyanate (101-68-8)				
Method	Species	Results		
OECD Test No. 414: Prenatal Development	Rat	LOAEL 9 mg/m ³		
Toxicity Study				

Specific	target	organ	toxicity
(single e	xposu	re)	

Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

Component Information						
4,4'-Methylenediphenyl diisocyanate (101-68-8)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
	Rat, female	Inhalation,	0,0.2,0.7, 2.1 mg/m ³	2 Years	Category 2	
		Dust/Mist	-			

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea	
4,4'-Methylenediphenyl	ErC50 (72h) >1640 mg/L Algae	>1000 mg/l (Danio rerio)	EC50 (24H) >1000 mg/L	
diisocyanate	(scenedesmus subspicatus)		Daphnia magna	
	(OECD 201)		-	
Persistence and degradability No information available.				
Bioaccumulative potential	No information available.			
Component Information				
Chemical name		Partition coefficient		
4,4'-Methylenediphenyl diisocyanate		4.51		
	·			
Chemical name		PBT and vPvB assessment		
4,4'-Methylenediphenyl diisocyanate 101-68-8		The substance is not PBT / vPvB		
<u>Mobility in soil</u>	No information available.			
13. Disposal considerations				

<u>Waste chemicals</u> Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

IMDG	Not regulated
IATA	Not regulated
<u>China</u>	Not regulated
ADR Special procesutions for user	Not regulated

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

SDS and Label prepared in compliance with the following regulations:

Decree No. 591 of the State Council of the People's Republic of China

General Rule for classification and hazard communication of chemicals, GB 13690

Series standards of Safety rules for classification, precautionary labeling and precautionary statements of chemicals, GB 30000.2~GB 30000.29

General rules for preparation of precautionary label for chemicals, GB 15258

Safety data sheet for chemical products—Content and order of sections, GB/T 16483 GB/T17519

HHD 5518BK Revision Number 1

Not applicable

Regulations on the Control over Safety of Hazardous Chemicals

<u>China - Catalog of Hazardous Chemicals - Hazardous Chemicals</u> The table below indicates ingredients above the cut-off threshold considered as relevant which are listed

Chemical name	China - Catalog of Hazardous Chemicals - Hazardous Chemicals	Weight-%
4,4'-Methylenediphenyl diisocyanate 101-68-8	Listed	1 - <5

List of hazardous chemicals under priority management

Regulations on Labor Protection in Workplaces Where Toxic Substances Are Used Inventory of highly toxic goods Not applicable

GB33372-2020

We certify that goods delivered comply with the limit of volatile organic compounds content in adhesive regulated in GB33372-2020, in agreement with our Asia Technical Center and regulatory team

Regulations for Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

Not applicable

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

16. Other information

Local Contacts

HHD 5518BK Revision Number 1

Revision date 06-Jul-2022 Supersedes Date: 06-Jul-2022

Bostik Findley (Malaysia) Sdn. Bhd	Bostik Asia Pacific	Bostik (Thailand) Co.,Ltd.
Lot 112 & 113,	1 Science Park Road, #04-01/05	1/32, 16A th Floor, Bangnathani Building,
Kawasan Perindustrian senawang,	West Wing, The Capricorn,	Soi Bangna-Trad 34, South Bangna,
seremban, negeri sembilian, Malaysia Tel: 606-6789788	a Singapore Science Park II, Singapore 117528	Bangna, Bangkok, Thailand Tel : 66 (0) 2361 6460-7
Fax: 606-6789766	Tel: +65-6419-9161	Fax : 66 (0) 2361 6469
1 ax. 000-0703700	Fax: +65-6419-9150	Tax : 00 (0) 2001 0403
Bostik Phillippines, Inc.	Bostik Indonesia	Bostik Vietnam Company Limited
35/F Raffles Corporate Center,	Setiabudi Atrium Building,	10 Doc Lap Avenue,
F. Ortigas Jr. Road	Level 2, Suite 203 A	VSIP 1. Thuan An District,
Ortigas Business Center,	JI. HR Rasuna Said	BinhDuong Province. Viet Nam.
Pasig city, Phillippines Tel: 632-900-5656	Jakarta Indonesia 12920 Tel: 62 21 521 0404	Tel: 84 650 3765105 Fax: 84 650 3765109
Fax: 632-900-5622	Fax: 62 21 521 0554	Fax. 64 050 5705109
Bostik India Private Ltd	Jiangsu Bositk Adhesive Co.,Ltd	Bostik Findley (China) Co.,Ltd
124/1 & 124/2A	No.15-9, Xinggang Road, Changshu	No.75, Xin Zhuang 2 Road, Yong He
Kachanayakanahalli	Enconomic Development Zone	District, GETDD
Behind Bommasandra Indl.Area	Jiangsu Province 215536	Guangzhou, 511356, China
Off Hosur Road, Hennagara Post,	Tel: 0086-512-52266000	TEL: 020 -32226211
Anekal Taluk	Fax: 0086-512-52266020	FAX: 020 -32226261
Bangalore - 562106, Karnataka,		
Tel: 0091-80-27833520 Fax: 00 91-80-27831324		
Email: Bostikinfo.India@bostik.com		
Revision date	06-Jul-2022	
Revision Note	***Indicates updated data since last publicat	10n.
Abbreviations and acronyms Legend Section 8: EXPOSURE CON TWA	TWA (time-weighted average)	
STEL	STEL (Short Term Exposure Limit)	
Ceiling	Ceiling Limit Value	
SVHC	Skin designation Substance(s) of Very High Concern	
PBT	Persistent, Bioaccumulative, and Toxic (PB ⁻	C) Chemicals
vPvB	Very Persistent and very Bioaccumulative (V	
STOT RE	Specific target organ toxicity - Repeated exp	
STOT SE	Specific target organ toxicity - Single exposit	
Agency for Toxic Substances and Dis	ces for data used to compile the SDS	
U.S. Environmental Protection Agenc		
European Food Safety Authority (EFS		
EPA (Environmental Protection Agend		
Acute Exposure Guideline Level(s) (A		
	y Federal Insecticide, Fungicide, and Rodent	icide Act
U.S. Environmental Protection Agenc	y High Production Volume Chemicals	
Food Research Journal		
Hazardous Substance Database International Uniform Chemical Inform	nation Database (ILICLID)	
Japan GHS Classification		
•	s Notification and Assessment Scheme (NIC	NAS)
NIOSH (National Institute for Occupat	tional Safety and Health)	
National Library of Medicine's ChemII		
National Library of Medicine's PubMe	d database (NLM PUBMED)	
	,	
National Toxicology Program (NTP)		
New Zealand's Chemical Classification	n and Information Database (CCID)	and Sofaty Dublications
New Zealand's Chemical Classificatio Organization for Economic Co-operat	n and Information Database (CCID) ion and Development Environment, Health, a	
New Zealand's Chemical Classification Organization for Economic Co-operate Organization for Economic Co-operate	n and Information Database (CCID) ion and Development Environment, Health, a ion and Development High Production Volum	ne Chemicals Program
New Zealand's Chemical Classification Organization for Economic Co-operate Organization for Economic Co-operate	n and Information Database (CCID) ion and Development Environment, Health, a ion and Development High Production Volum ion and Development Screening Information	ne Chemicals Program

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet